

Due Diligence Assessment – Data Availability

Part 1: General Information	
YODA Project (Protocol) ID:	2015_0339
Date:	13Mar15
Product Name:	Infliximab & Golimumab (REMICADE & SIMPONI)
Therapeutic Area:	Immunology
Product Class:	Immunomodulators
Condition(s) Studied:	Crohn's disease, ulcerative colitis, rheumatoid arthritis and ankylosing spondylitis
Protocol Number(s) and Title(s):	<p>NCT00036374 - A Randomized, Double-Blind Trial of Anti-TNF Chimeric Monoclonal Antibody (Infliximab) in Combination With Methotrexate for the Treatment of Patients With Polyarticular Juvenile Rheumatoid Arthritis</p> <p>NCT00036439 - A Randomized, Placebo-controlled, Double-blind Trial to Evaluate the Safety and Efficacy of Infliximab in Patients With Active Ulcerative Colitis</p> <p>NCT00096655 - A Randomized, Placebo-controlled, Double-blind Trial to Evaluate the Safety and Efficacy of Infliximab in Patients With Active Ulcerative Colitis</p> <p>NCT00207675 - A Randomized, Multicenter, Open-label Study to Evaluate the Safety and Efficacy of Anti-TNF a Chimeric Monoclonal Antibody (Infliximab, REMICADE) in Pediatric Subjects With Moderate to Severe CROHN'S Disease</p> <p>NCT00094458 - Multicenter, Randomized, Double-Blind, Active Controlled Trial Comparing REMICADE® (infliximab) and REMICADE plus Azathioprine to Azathioprine in the Treatment of Patients with Crohn's Disease Naive to both Immunomodulators and Biologic</p> <p>NCT00336492 - A Phase 3, Randomized, Open-label, Parallel-group, Multicenter Trial to Evaluate the Safety and Efficacy of Infliximab (REMICADE) in Pediatric Subjects With Moderately to Severely Active Ulcerative Colitis</p> <p>NCT00264537 - A Multicenter, Randomized, Double-blind, Placebo-controlled Trial of Golimumab, a Fully Human Anti-TNFa Monoclonal Antibody, Administered Subcutaneously, in Methotrexate-naïve Subjects with Active Rheumatoid Arthritis</p> <p>NCT00264550 - A Multicenter, Randomized, Double-blind, Placebo-controlled Trial of Golimumab, a Fully Human Anti-TNFa Monoclonal Antibody, Administered Subcutaneously, in Subjects with Active Rheumatoid Arthritis Despite Methotrexate Therapy</p> <p>NCT00299546 - A Multicenter, Randomized, Double-blind, Placebo-controlled Trial of Golimumab, a Fully Human Anti-TNFa Monoclonal Antibody, Administered Subcutaneously in Subjects with Active Rheumatoid Arthritis and Previously Treated with Biologic Anti</p> <p>NCT00361335 - A Multicenter, Randomized, Double-blind, Placebo-controlled Trial of Golimumab, a Fully Human Anti-TNFa Monoclonal Antibody, Administered Intravenously, in Subjects with Active Rheumatoid Arthritis Despite Methotrexate Therapy</p>

Due Diligence Assessment – Data Availability

	<p>NCT00487539 - A Phase 2/3 Multicenter, Randomized, Placebo-controlled, Double blind Study to Evaluate the Safety and Efficacy of Golimumab Induction Therapy, Administered Subcutaneously, in Subjects with Moderately to Severely Active Ulcerative Colitis</p> <p>NCT01248780 - A Phase 3, Multicenter, Randomized, Double-blind, Placebo-controlled Study Evaluating the Efficacy and Safety of Golimumab in the Treatment of Chinese Subjects with Active Rheumatoid Arthritis Despite Methotrexate Therapy</p> <p>NCT01248793 - A Phase 3, Multicenter, Randomized, Double-blind, Placebo-controlled Study Evaluating the Efficacy and Safety of Golimumab in the Treatment of Chinese Subjects with Ankylosing Spondylitis</p> <p>NCT00207662 - ACCENT I - A Randomized, Double-blind, Placebo-controlled Trial of Anti-TNFa Chimeric Monoclonal Antibody (Infliximab, Remicade) in the Long-term Treatment of Patients With Moderately to Severely Active Crohn's Disease</p> <p>NCT00207766 - ACCENT II - A Randomized, Double-blind, Placebo-controlled Trial of Anti-TNF Chimeric Monoclonal Antibody (Infliximab, Remicade) in the Long Term Treatment of Patients With Fistulizing CROHN'S Disease</p> <p>NCT00004941 - A Placebo-controlled, Repeated-dose Study of Anti-TNF Chimeric Monoclonal Antibody (cA2) in the Treatment of Patients with Enterocutaneous Fistulae as a Complication of Crohn's Disease</p> <p>NCT00269867 - A Placebo-Controlled, Double-Blinded, Randomized Clinical Trial of Anti-TNF Chimeric Monoclonal Antibody (cA2) in Patients With Active Rheumatoid Arthritis Despite Methotrexate Treatment</p> <p>NCT00236028 - A Randomized, Double-blind, Trial of Anti-TNFa Chimeric Monoclonal Antibody (Infliximab) in Combination With Methotrexate Compared With Methotrexate Alone for the Treatment of Patients With Early Rheumatoid Arthritis</p>
--	---

Part 2: Data Availability

Data Holder has authority to provide clinical trial data or development partner has agreed to share clinical trial data.	Yes
Comments:	
Data Holder has sharable electronic clinical trial data or data can be converted to electronic format.	Yes
Comments:	
De-identification and redaction of clinical trial data in accordance with current HIPAA and EU criteria allows protection of participant privacy and confidentiality.	Yes
Comments:	
The product and relevant indication studied has either been approved by regulators in the US and EU, or terminated from development.	Yes
Comments:	
Data Holder has completed the clinical trial and trial has been completed for a period of at least 18 months (or results published in peer-reviewed biomedical literature).	Yes
Comments:	

Due Diligence Assessment – Data Availability

Part 3: Data Availability Summary	
Based on the responses to the above Data Availability questions, the requested clinical trial data are available for a data sharing request.	Yes
Part 4: Proposal Review	
Question:	Response:
Summary-level CSR data is appropriate for the proposed analysis.	No
Participant-level data is appropriate for the proposed analysis.	Yes
A similar analysis is underway or completed/pending disclosure by Janssen.	No
Comments:	An ACR50 is a good level of response but is not defined as clinical remission in RA. Consider examining other definitions of clinical remission, for eg DAS28 score <2.6, SDAI score <=3.3 Unclear how defining patient sample: study participation or study treatment? If meant to be the controlled portion of data, whole study or other cuts of data?