

Clinical Development

Paliperidone[®]

R076477BIM3001

Anonymisation Data Derivation Specification Document

Document Type	Reference document
Document Version	Final
Date	25 APR 2016

Property of Janssen

Confidential

May not be used, divulged, published or otherwise disclosed
without the consent of Janssen

Table of contents

Clinical Development	1
1. Datasets	5
1.1. Specifications Introduction	5
1.2. Guidelines for Preparing Data.....	5
1.3. Data Files.....	6
1.4. Data Domains.....	7
1.4.1. Demography – DEMOG.....	7
1.4.2. Adverse Events – AE.....	9
1.4.3. Aims – AIMS	13
1.4.4. Barnes Akathisia Scale – BARS	15
1.4.5. Clinical Global Impression – CGI	17
1.4.6. Laboratory Results(Chemistry) – CHEM.....	19
1.4.7. Comments – COMMENTS	22
1.4.8. Concomitant Meds – CONMED.....	24
1.4.9. Diagnosis – DIAGNOS	27
1.4.10. Diabetes Related History – DIAHIST.....	30
1.4.11. Disposition – DISPOSIT	32
1.4.12. Electrocardiogram – ECG	34
1.4.13. Exposure – EXPOSURE.....	36
1.4.14. Family History – FAMHIST.....	38
1.4.15. Global Assessment of Functioning Scale – GAF	40
1.4.16. Smoking Habit – HABIT	41
1.4.17. Laboratory Results(Hematology) – HEMAT	43
1.4.18. Hospitalization – HOSPITAL.....	46
1.4.19. Inclusion/Exclusion Exceptions – IE	48
1.4.20. Intake – INTAKE.....	50
1.4.21. Montgomery-Asberg Depression Rating Scale – MADRS	51
1.4.22. Medical History – MEDHIST	53
1.4.23. Positive and Negative Syndrome Scale – PANSS.....	55

1.4.24.	PKPD Concentrations – PCCNC	57
1.4.25.	Physical Exam – PE	60
1.4.26.	Protocol Deviation – PROTDEV	62
1.4.27.	Psychiatric History – PSYCHIST.....	63
1.4.28.	Randomization – RANDOM.....	65
1.4.29.	Simpson - Angus Scale – SARS.....	67
1.4.30.	SF-36 Short Form Health Survey – SF36.....	69
1.4.31.	Scale for Suicidal Ideation – SSI	70
1.4.32.	Trial Inclusion/Exclusion Criteria – TI.....	72
1.4.33.	Laboratory Results(Urine) – URINE.....	73
1.4.34.	Sleep VAS Scale Scores – VAS.....	76
1.4.35.	Visit – VISIT.....	78
1.4.36.	Vital Signs – VITAL.....	79
1.4.37.	Young Mania Rating Scale – YMRS.....	81

Status and Version	Release Date	Summary of Key Changes

1. Datasets

1.1. Specifications Introduction

This specification for each dataset will be in two parts

- Dataset description
- Variables within dataset

Part I: Dataset description

Dataset	Name of dataset
Creating Program	The program that created the dataset
Description	Short description
Unique Identifier	Unique key
Sorted by	Sort key
Notes	Any useful notes

Part II: Variables within dataset

Variable	SAS variable name
Type	Character or Numeric
Label	SAS variable label
Codes	Codelist name
Comments	Variable source derivation explanation if variable derived.

1.2. Guidelines for Preparing Data

The data will be provided according to the De-identified/ Anonymisation data guidelines standards with the following exceptions:

- Subject initials will not be provided
- Date of birth will not be provided, only age in years and grouped to protect PII as per HIPAA rules (ages above 89 will be assigned to 90+).
- Subject and center numbers will be assigned in a random manner so they are not matching the subject and center numbers that were used in the actual trial
- Remove the free text verbatim terms.
- Remove "Other" free text terms.
- Drug Record Number will not be provided.
- Drug Sequence Number will not be provided.
- Accession Number, Vial, Bottle, lot, kit or batch number will not be provided.
- Central Lab Specimen Label Number will not be provided.
- Lab Identifier information will not be provided (LBPRVID).
- Partial date's relative day cannot be calculated.

- Rater's Initial or Patient's Initial will not be provided as it is sensitive. (eg. AIRATERI)
- Patient's Initial will not be provided as it is sensitive. (eg. SUBJINIT)
- Lab Name information will not be provided.
- Datasets with zero observation will not be submitted. (ex. IMMUNO)
- Datasets containing pharmacogenetic information will not be submitted. (eg. DNRSLT)
- Dataset containing information related to code lists will not be submitted. (eg. CODELIST)
- Element containing insignificant information will not be submitted. (eg. LBTMLBL)
- Dataset containing investigator information is sensitive and hence will not be submitted. (eg. INVEST)
- Dataset having no subject level information will not be submitted. (eg. PROTDESC)
- Dataset containing sensitive information about medication kit will not be submitted. (eg. MEDKIT)
- SURGERY dataset will not be submitted due to sensitivity of information.
- Comments dataset will be submitted with zero observation due to sensitivity of data.
- Completely missing values will not be submitted.
- Informed Consent Date will be used as Reference Date to derive relative days.

1.3. Data Files

The R076477BIM3001 Clinical Study Report (CSR) data should be used for converting to de-identification.

1.4. Data Domains

1.4.1. Demography – DEMOG

Dataset	DEMOG
Creating program	demog.sas
Description	Demography
Unique identifier	DUSUBJID
Sorted by	DUSUBJID
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines or due to repetition of the information: SUBJINIT, DMACTDT, DMSCRDT, IVNAME, BIRTHDT, IVID, DMINFDT, RACESPEC, COUNTRY

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.

Variable	Type	Label	Codes	Comments
VISIT	char	Visit		Collected at CRF.
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
SEXC	num	Sex Code		Collected at CRF.
SEX	char	Sex		Collected at CRF.
RACEC	num	Race Code		Element will be grouped to protect PII.
RACE	char	Race		Element will be grouped to protect PII.
DCOUNTRY	char	De-Identify Country		Element will be grouped to protect PII.
ETHNICC	num	Ethnicity Code		Collected at CRF.
ETHNIC	char	Ethnicity		Collected at CRF.
DMACTDY	num	Relative Actual Day of Demography		If DMACTDT and DMINFDT not missing then perform below logic to calculate DMACTDY, If DMACTDT less than DMINFDT then (DMACTDT - DMINFDT).Else if DMACTDT is greater than equal to DMINFDT then (DMACTDT- DMINFDT) +1.
DMSCRDY	num	Relative Day of First Trial Related Proc		If DMSCRDT and DMINFDT not missing then perform below logic to calculate DMSCRDY, If DMSCRDT less than DMINFDT then (DMSCRDT - DMINFDT).Else if DMSCRDT is greater than equal to DMINFDT then (DMSCRDT- DMINFDT) +1.

Variable	Type	Label	Codes	Comments
AGE	char	Age in Years		Date of birth collected but can not be submitted as per HIPAA rules hence deriving AGE element derivation follows below rule: AGE= int((DMINFDT – BIRTHDT)/365.25) If age greater than 89+ years then will be grouped as per HIPAA rules.

1.4.2. Adverse Events – AE

Dataset	AE
Creating program	ae.sas
Description	Adverse Events
Unique identifier	DUSUBJID,PHASENUM,VISITNUM,AESEQ,AEDECOD
Sorted by	DUSUBJID,PHASENUM,VISITNUM,AESEQ,AEDECOD
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines or due to repetition of the information: AETERM, AESTDTC, AESTDT, AEENDTC, AEENDT, AESERREF

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity

Variable	Type	Label	Codes	Comments
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.
AEREPRTC	num	Were Any AEs Reported Code		Collected at CRF.
AEREPRT	char	Were Any AEs Reported		Collected at CRF.
AESEQ	num	AE Sequence Number		Collected at CRF.
AEACTTRC	num	Action Taken with Treatment Code		Collected at CRF.
AEACTTRT	char	Action Taken with Treatment		Collected at CRF.
AEOUTC	num	Outcome of Event Code		Collected at CRF.
AEOUT	char	Outcome of Event		Collected at CRF.
AERELC	num	Relationship to Treatment Code		Collected at CRF.
AEREL	char	Relationship to Treatment		Collected at CRF.
AESERC	num	Seriousness Criteria Code		Collected at CRF.
AESER	char	Seriousness Criteria		Collected at CRF.
AESEVC	num	Severity of Event Code		Collected at CRF.
AESEV	char	Severity of Event		Collected at CRF.

Variable	Type	Label	Codes	Comments
AECONTRC	num	Concomitant/Additional Treatment Code		Collected at CRF.
AECONTRT	char	Concomitant/Additional Treatment		Collected at CRF.
AESCONG	char	Congenital Anomaly or Birth Defect		Collected at CRF.
AESDISAB	char	Persist or Signif Disability/Incapacity		Collected at CRF.
AESDTH	char	Results in Death		Collected at CRF.
AESHOSPR	char	Hospitalization required		Collected at CRF.
AESHOSPP	char	Prolonged hospitalization		Collected at CRF.
AESLIFE	char	Is Life Threatening		Collected at CRF.
AESMIE	char	Other Medicaly Important Serious Event		Collected at CRF.
AECODE	char	AE Dictionary Code		Collected at CRF.
AEDICTDM	char	Adverse Events Dictionary		Collected at CRF.
AEDECOD1	char	Dictionary-Derived Lower Level Term		Collected at CRF.
AEDECOD	char	Dictionary-Derived Term		Collected at CRF.
AEBODSYC	char	Body System or Organ Class Code		Collected at CRF.
AEBODSYS	char	Body System or Organ Class		Collected at CRF.

Variable	Type	Label	Codes	Comments
AESTDY	num	Relative Actual Start Day of Event		If AESTDTC and DMINFDT not missing then perform below logic to calculate AESTDY, If AESTDTC less than DMINFDT then (AESTDTC - DMINFDT).Else if AESTDTC is greater than equal to DMINFDT then (AESTDTC- DMINFDT) +1.
AEENDY	num	Relative Actual End Day of Event		If AEENDTC and DMINFDT not missing then perform below logic to calculate AEENDY, If AEENDTC less than DMINFDT then (AEENDTC - DMINFDT).Else if AEENDTC is greater than equal to DMINFDT then (AEENDTC- DMINFDT) +1.

1.4.3.Aims – AIMS

Dataset	AIMS
Creating program	aims.sas
Description	AIMS
Unique identifier	DUSUBJID,PHASENUM,VISITNUM,AIGROUP,AIITEM
Sorted by	DUSUBJID,PHASENUM,VISITNUM,AIGROUP,AIITEM
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: AIRATERI, AIACTDT

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.
AIVTYPEC	num	AIMS Visit Type Code		Collected at CRF.

Variable	Type	Label	Codes	Comments
AIVTYPE	char	AIMS Visit Type		Collected at CRF.
AIGROUP	char	AIMS Group		Collected at CRF.
AIITEM	char	AIMS Item		Collected at CRF.
AISCOREC	num	AIMS Score Code		Collected at CRF.
AISCORE	char	AIMS Score		Collected at CRF.
AIACTDY	num	Relative Actual Day of AIMS		If AIACTDT and DMINFDT not missing then perform below logic to calculate AIACTDY, If AIACTDT less than DMINFDT then (AIACTDT - DMINFDT).Else if AIACTDT is greater than equal to DMINFDT then (AIACTDT- DMINFDT) +1.

1.4.4. Barnes Akathisia Scale – BARS

Dataset	BARS
Creating program	bars.sas
Description	Barnes Akathisia Scale
Unique identifier	DUSUBJID,PHASENUM,VISITNUM,BAGROUP,BAITEM
Sorted by	DUSUBJID,PHASENUM,VISITNUM,BAGROUP,BAITEM
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: BARATERI, BAACTDT

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.
BAVTYPEC	num	BARS Visit Type Code		Collected at CRF.

Variable	Type	Label	Codes	Comments
BAVTYPE	char	BARS Visit Type		Collected at CRF.
BAGROUP	char	BARS Group		Collected at CRF.
BAITEM	char	BARS Item		Collected at CRF.
BASCOREC	num	BARS Score Code		Collected at CRF.
BASCORE	char	BARS Score		Collected at CRF.
BAACTDY	num	Relative Actual Day of BARS		If BAACTDT and DMINFDT not missing then perform below logic to calculate BAACTDY, If BAACTDT less than DMINFDT then (BAACTDT - DMINFDT).Else if BAACTDT is greater than equal to DMINFDT then (BAACTDT- DMINFDT) +1.

1.4.5. Clinical Global Impression – CGI

Dataset	CGI
Creating program	cgi.sas
Description	Clinical Global Impression
Unique identifier	DUSUBJID,PHASENUM,VISITNUM,CGTYPE
Sorted by	DUSUBJID,PHASENUM,VISITNUM,CGTYPE
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: CGACTDT, CGRATERI

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.
CGTYPE	char	CGI Type		Collected at CRF.

Variable	Type	Label	Codes	Comments
CGSEVC	num	CGI Severity Code		Collected at CRF.
CGSEV	char	CGI Severity		Collected at CRF.
CGACTDY	num	Relative Actual Day of CGI		If CGACTDT and DMINFDT not missing then perform below logic to calculate CGACTDY, If CGACTDT less than DMINFDT then (CGACTDT - DMINFDT).Else if CGACTDT is greater than equal to DMINFDT then (CGACTDT- DMINFDT) +1.

1.4.6.Laboratory Results(Chemistry) – CHEM

Dataset	CHEM
Creating program	chem.sas
Description	Laboratory Results(CHEM)
Unique identifier	DUSUBJID,LBDESCR,VISIT,LBSTAT
Sorted by	DUSUBJID,LBDESCR,VISIT,LBSTAT
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines or due to non significant elements or due to missing values: LBPRVIDC, LBPRVID, ACCNUM, LBREF, LBACTDT, LBTMLBL, LBENDT, LBENTM, TSTCOM, STDNRC, LBTOXGR, LBTOX, LBSEQ, LBSIFACT, LBCVFACT, LBREASND

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.

Variable	Type	Label	Codes	Comments
VISIT	char	Visit		Collected at CRF.
LBVTYPEC	num	Lab Visit Type Code		Collected at CRF.
LBVTYPE	char	Lab Visit Type		Collected at CRF.
LBACTTM	num	Actual Time of Lab Sample		Collected at CRF.
LBPTM	num	Planned Collection Time		Collected at CRF.
LBSPECMN	char	Specimen Type		Collected at CRF.
AGEATCOL	char	Subject Age at Collection		If age is greater than 89 then group to '90+' otherwise AGE=AGE. Grouping will be performed based on HIPAA privacy rules.
AGEU	char	Subject Age Units		Collected at CRF.
LBFASTC	num	Fasting Status Code		Collected at CRF.
LBFAST	char	Fasting Status		Collected at CRF.
LBTYPEC	num	Lab Type Code		Collected at CRF.
LBTYPE	char	Lab Type		Collected at CRF.
LBTESTC	num	Lab Test Code		Collected at CRF.
LBABBR	char	Lab Test Abbreviation		Collected at CRF.
LBTEST	char	Lab Test Name		Collected at CRF.
LBDESCR	char	Full Test Description		Collected at CRF.
LBSTAT	char	Lab Status		Collected at CRF.
ORGRES	char	Character Result in Original Units		Collected at CRF.

Variable	Type	Label	Codes	Comments
ORGRESN	num	Numeric Result in Original Units		Collected at CRF.
ORGNRLO	num	Normal Range Lower Limit in Orig Units		Collected at CRF.
ORGNRHI	num	Normal Range Upper Limit in Orig Units		Collected at CRF.
ORGUNIT	char	Original Units		Collected at CRF.
REPUNIT	char	Original Units		Collected at CRF.
CNVRESC	char	Conventional Text Result		Collected at CRF.
CNVRESN	num	Conventional Numeric Result		Collected at CRF.
CNVNRLO	num	CNVNRLO		Collected at CRF.
CNVNRHI	num	CNVNRHI		Collected at CRF.
LBCVUNIT	char	CNVU		Collected at CRF.
STDRESC	char	Character Result in Standard Units		Collected at CRF.
STDRESN	num	Numeric Result in Standard Units		Collected at CRF.
STDNRLO	num	Normal Range in Lower Limit in Std Units		Collected at CRF.
STDNRHI	num	Normal Range in Upper Limit in Std Units		Collected at CRF.
STDUNIT	char	Standard Units		Collected at CRF.

Variable	Type	Label	Codes	Comments
NRIND	char	Reference Range Indicator		Collected at CRF.
LBACTDY	num	Relative Actual Day of Sample		If LBACTDT and DMINFDT not missing then perform below logic to calculate LBACTDY, If LBACTDT less than DMINFDT then (LBACTDT - DMINFDT).Else if LBACTDT is greater than equal to DMINFDT then (LBACTDT- DMINFDT) +1.

1.4.7. Comments – COMMENTS

Dataset	COMMENTS
Creating program	commentS.sas
Description	Comments
Unique identifier	Not Applicable
Sorted by	Not Applicable
Notes	Comments data is sensitive data, contains free text information. Empty dataset will be submitted.

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Empty dataset will be submitted.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Empty dataset will be submitted.

Variable	Type	Label	Codes	Comments
DSUBJID	char	Subject Number Assigned for De-Identity		Empty dataset will be submitted.
DSITEID	char	Site Assigned for De-Identity		Empty dataset will be submitted.
PHASENUM	num	Phase Number		Empty dataset will be submitted.
PHASE	char	Phase		Empty dataset will be submitted.
VISITNUM	num	Visit Number		Empty dataset will be submitted.
VISIT	char	Visit		Empty dataset will be submitted.
CTSEQ	num	Comment Sequence Number		Empty dataset will be submitted.
DOMAIN	char	Domain of Origin		Empty dataset will be submitted.
PERIOD	char	Period		Empty dataset will be submitted.
CTACTDY	num	Relative Actual Day of Comment		Empty dataset will be submitted.

1.4.8. Concomitant Meds – CONMED

Dataset	CONMED
Creating program	conmed.sas
Description	Concomitant Meds
Unique identifier	DUSUBJID,PHASENUM,VISITNUM,CMSEQ,CMDECOD
Sorted by	DUSUBJID,PHASENUM,VISITNUM,CMSEQ,CMDECOD
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines or due to repetition of the information or due to missing values: CMTERM, CMREGIM, CMREAS, CMSTDTC, CMSTDT, CMENDTC, CMENDT, CMCLAS, CMCLASC

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.

Variable	Type	Label	Codes	Comments
VISIT	char	Visit		Collected at CRF.
CMTYPEC	num	Prior/Concomitant Medication Code		Collected at CRF.
CMTYPE	char	Prior/Concomitant Medication		Collected at CRF.
CMGROUP	char	Medication Grouping		Collected at CRF.
CMREPRTC	num	Were Any Meds Administered Code		Collected at CRF.
CMREPRT	char	Were Any Meds Administered		Collected at CRF.
CMSEQ	num	Conmed Sequence Number		Collected at CRF.
CMDECOD1	char	Medication Specified Term		Collected at CRF.
CMDOSE	num	Dosage		Collected at CRF.
CMUNIT	char	Dose Unit		Collected at CRF.
CMROUTE	char	Route of Administration		Collected at CRF.
CMCAUSC	num	Given for AE Code		Collected at CRF.
CMCAUS	char	Given for AE		Collected at CRF.
AESEQ	num	AE Sequence Number		Collected at CRF.
AESEQ1	num	AE Sequence Number 1		Collected at CRF.
AESEQ2	num	AE Sequence Number 2		Collected at CRF.
CMPRIORC	num	Med Started Prior to Trial Code		Collected at CRF.
CMPRIOR	char	Med Started Prior to Trial		Collected at CRF.
CMCONTC	num	Medication Continuing Code		Collected at CRF.

Variable	Type	Label	Codes	Comments
CMCONT	char	Medication Continuing		Collected at CRF.
CMCLASC0	char	ATC Code 0		Collected at CRF.
CMCLASC1	char	ATC Code 1		Collected at CRF.
CMCLASC2	char	ATC Code 2		Collected at CRF.
CMCLASC3	char	ATC Code 3		Collected at CRF.
CMCLASC4	char	ATC Code 4		Collected at CRF.
CMCLASC5	char	ATC Code 5		Collected at CRF.
CMCLASC6	char	ATC Code 6		Collected at CRF.
CMCLASC7	char	ATC Code 7		Collected at CRF.
CMCLASC8	char	ATC Code 8		Collected at CRF.
CMCLASC9	char	ATC Code 9		Collected at CRF.
CMCLAS0	char	ATC Text 0		Collected at CRF.
CMCLAS1	char	ATC Text 1		Collected at CRF.
CMCLAS2	char	ATC Text 2		Collected at CRF.
CMCLAS3	char	ATC Text 3		Collected at CRF.
CMCLAS4	char	ATC Text 4		Collected at CRF.
CMCLAS5	char	ATC Text 5		Collected at CRF.
CMCLAS6	char	ATC Text 6		Collected at CRF.
CMCLAS7	char	ATC Text 7		Collected at CRF.
CMCLAS8	char	ATC Text 8		Collected at CRF.
CMCLAS9	char	ATC Text 9		Collected at CRF.

Variable	Type	Label	Codes	Comments
CMCODE	char	Medication Dictionary Code		Collected at CRF.
CMDECOD	char	Medication Generic Term		Collected at CRF.
CMSTDY	num	Relative Actual Start Day of Medication		If CMSTDTC and DMINFDT not missing then perform below logic to calculate CMSTDY, If CMSTDTC less than DMINFDT then (CMSTDTC - DMINFDT).Else if CMSTDTC is greater than equal to DMINFDT then (CMSTDTC- DMINFDT) +1.
CMENDY	num	Relative Actual End Day of Medication		If CMENDTC and DMINFDT not missing then perform below logic to calculate CMENDY, If CMENDTC less than DMINFDT then (CMENDTC - DMINFDT).Else if CMENDTC is greater than equal to DMINFDT then (CMENDTC- DMINFDT) +1.

1.4.9. Diagnosis – DIAGNOS

Dataset	DIAGNOS
Creating program	diagnos.sas
Description	Diagnosis
Unique identifier	DUSUBJID,PHASENUM,VISITNUM
Sorted by	DUSUBJID,PHASENUM,VISITNUM
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines or due to repetition of the information: DGDT, DGACTION, DGACTION

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.
DIAGNOSC	num	Primary Diagnosis Code		Collected at CRF.

Variable	Type	Label	Codes	Comments
DIAGNOS	char	Primary Diagnosis		Collected at CRF.
DGTYPEC	num	Current Episode Code		Collected at CRF.
DGTYPE	char	Current Episode		Collected at CRF.
SDIAGNC1	num	Secondary Diagnosis Code 1		Collected at CRF.
SDIAGN1	char	Secondary Diagnosis 1		Collected at CRF.
SDIAGNC2	num	Secondary Diagnosis Code 2		Collected at CRF.
SDIAGN2	char	Secondary Diagnosis 2		Collected at CRF.
SDIAGNC3	num	Secondary Diagnosis Code 3		Collected at CRF.
SDIAGN3	char	Secondary Diagnosis 3		Collected at CRF.
DGDY	num	Relative Day of Collection		If DGDT and DMINFDT not missing then perform below logic to calculate DGDY, If DGDT less than DMINFDT then (DGDT - DMINFDT).Else if DGDT is greater than equal to DMINFDT then (DGDT- DMINFDT) +1.
DGACTDY	num	Relative Actual Day of Diagnosis		If DGACTDTC and DMINFDT not missing then perform below logic to calculate DGACTDY, If DGACTDTC less than DMINFDT then (DGACTDTC - DMINFDT).Else if DGACTDTC is greater than equal to DMINFDT then (DGACTDTC- DMINFDT) +1.

1.4.10. Diabetes Related History – DIAHIST

Dataset	DIAHIST
Creating program	diahist.sas
Description	Diabetes Related History
Unique identifier	DUSUBJID, DHDIAG
Sorted by	DUSUBJID, DHDIAG
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: DHACTDT

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.

Variable	Type	Label	Codes	Comments
DHCHILD	num	Number of Children Born Weight >10 lbs		Collected at CRF.
DHDIAG	char	Diagnosis		Collected at CRF.
DHHISTC	num	Diabetes History Code		Collected at CRF.
DHHIST	char	Diabetes History		Collected at CRF.
DHAGE	num	Age at Diagnosis		If age is greater than 89 then group to '90+' otherwise AGE=AGE. Grouping will be performed based on HIPAA privacy rules.
DHACTDY	num	Relative Actual Day of Diabetes Related		If DHACTDT and DMINFDT not missing then perform below logic to calculate DHACTDY, If DHACTDT less than DMINFDT then (DHACTDT - DMINFDT).Else if DHACTDT is greater than equal to DMINFDT then (DHACTDT- DMINFDT) +1.

1.4.11. Disposition – DISPOSIT

Dataset	DISPOSIT
Creating program	disposit.sas
Description	Disposition
Unique identifier	DUSUBJID,PHASENUM,VISITNUM,DSTYPEC
Sorted by	DUSUBJID,PHASENUM,VISITNUM,DSTYPEC
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines or due to missing values: DSACTDT, PREGDUOT, DEATHDT, DRSOTH, DSRABKDT, DSRABKTM, DSRABKRS

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.

Variable	Type	Label	Codes	Comments
DSTYPEC	num	End of Treatment or Trial Code		Collected at CRF.
DSTYPE	char	End of Treatment or Trial		Collected at CRF.
DSSTATC	num	Subject Completed Treatment/Trial Code		Collected at CRF.
DSSTAT	char	Subject Completed Treatment/Trial		Collected at CRF.
DSREASC	num	Reason for Withdrawal/Termination Code		Collected at CRF.
DSREAS	char	Reason for Withdrawal/Termination		Collected at CRF.
DSSCRNC	num	Reason for Screen Failure Code		Collected at CRF.
DSSCRN	char	Reason for Screen Failure		Collected at CRF.
AESEQ	num	AE Sequence Number		Collected at CRF.
DSACTDY	num	Relative Act Day Trial Complete/Withdrwn		If DSACTDT and DMINFDT not missing then perform below logic to calculate DSACTDY, If DSACTDT less than DMINFDT then (DSACTDT - DMINFDT).Else if DSACTDT is greater than equal to DMINFDT then (DSACTDT- DMINFDT) +1.
DEATHDY	num	Relative Actual Day of Death		If DEATHDT and DMINFDT not missing then perform below logic to calculate DEATHDY, If DEATHDT less than DMINFDT then (DEATHDT - DMINFDT).Else if DEATHDT is greater than equal to DMINFDT then (DEATHDT- DMINFDT) +1.

1.4.12. Electrocardiogram – ECG

Dataset	ECG
Creating program	ecg.sas
Description	Electrocardiogram
Unique identifier	DUSUBJID,PHASENUM,VISITNUM,EGPTM,EGSEQ,EGTESTCD
Sorted by	DUSUBJID,PHASENUM,VISITNUM,EGPTM,EGSEQ,EGTESTCD
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines or due to missing values: EGDT, EGPOS, EGPRVIDC, EGPRVID, EGND, EGCHGC, EGCHG, BATCHID, EGINTOTH, EGCHGOTH, EGREF

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.

Variable	Type	Label	Codes	Comments
EGTESTCD	char	ECG Test Short Name		Collected at CRF.
EGPTMNUM	num	Planned Time Point Number		Collected at CRF.
EGPTM	char	Planned Time Point Name		Collected at CRF.
EGACTTM	num	Actual Time of ECG		Collected at CRF.
EGQUAL	char	Qualifier		Collected at CRF.
EGTEST	char	ECG Test		Collected at CRF.
EGSTRESN	num	Numeric Result in Standard Units		Collected at CRF.
EGSTUNIT	char	Standard Units		Collected at CRF.
EGSTRESC	char	Character Result in Standard Units		Collected at CRF.
EGORRESN	num	Numeric Result in Original Units		Collected at CRF.
EGORUNIT	char	Original Units		Collected at CRF.
EGINTPC	num	Interpretation Code		Collected at CRF.
EGINTP	char	Interpretation		Collected at CRF.
EGLEAD	char	Lead Used for Measurement		Collected at CRF.
EGSEQ	num	ECG Sequence Number		Collected at CRF.
EGREADC	num	ECG Reader Code		Collected at CRF.
EGREAD	char	ECG Reader		Collected at CRF.
EGVTYPEC	num	ECG Visit Type Code		Collected at CRF.
EGVTYPE	char	ECG Visit Type		Collected at CRF.

Variable	Type	Label	Codes	Comments
MDS_CODE	char	MDS Code		Collected at CRF.
EGDY	num	Relative Actual Day of ECG		If EGDT and DMINFDT not missing then perform below logic to calculate EGDY, If EGDT less than DMINFDT then (EGDT - DMINFDT).Else if EGDT is greater than equal to DMINFDT then (EGDT - DMINFDT) +1.

1.4.13. Exposure – EXPOSURE

Dataset	EXPOSURE
Creating program	exposure.sas
Description	Exposure
Unique identifier	DUSUBJID,PHASENUM,VISITNUM, EXSTDY
Sorted by	DUSUBJID,PHASENUM,VISITNUM, EXSTDY
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: EXSTDT, EXENDT

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity

Variable	Type	Label	Codes	Comments
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.
EXGIVENA	num	Number of A Capsules Taken		Collected at CRF.
EXGIVENB	num	Number of B Capsules Taken		Collected at CRF.
EXSTDY	num	Relative Start Day of Exposure		If EXSTDY and DMINFDT not missing then perform below logic to calculate EXSTDY, If EXSTDY less than DMINFDT then (EXSTDY - DMINFDT).Else if EXSTDY is greater than equal to DMINFDT then (EXSTDY - DMINFDT) +1.
EXENDY	num	Relative End Day of Exposure		If EXENDY and DMINFDT not missing then perform below logic to calculate EXENDY, If EXENDY less than DMINFDT then (EXENDY - DMINFDT).Else if EXENDY is greater than equal to DMINFDT then (EXENDY - DMINFDT) +1.

1.4.14. Family History – FAMHIST

Dataset	FAMHIST
Creating program	famhist.sas
Description	Family History
Unique identifier	DUSUBJID,PHASENUM,VISITNUM,FHMEM, FHDTYPE
Sorted by	DUSUBJID,PHASENUM,VISITNUM,FHMEM, FHDTYPE
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: FHACTDT

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.

Variable	Type	Label	Codes	Comments
FHHISTC	num	Relatives History of Diabetes Code		Collected at CRF.
FHHIST	char	Relatives History of Diabetes		Collected at CRF.
FHMEM	char	Family Member		Collected at CRF.
FHDTYPE	char	Diabetes Types		Collected at CRF.
FHACTDY	num	Relative Actual Day of Collection		If FHACTDT and DMINFDT not missing then perform below logic to calculate FHACTDY, If FHACTDT less than DMINFDT then (FHACTDT - DMINFDT).Else if FHACTDT is greater than equal to DMINFDT then (FHACTDT- DMINFDT) +1.

1.4.15. Global Assessment of Functioning Scale – GAF

Dataset	GAF
Creating program	gaf.sas
Description	Global Assessment of Functioning Scale
Unique identifier	DUSUBJID,PHASENUM,VISITNUM
Sorted by	DUSUBJID,PHASENUM,VISITNUM
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: GAACTDT, GARATERI

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.

Variable	Type	Label	Codes	Comments
GASCORE	num	GAF Score		Collected at CRF.
GAACTDY	num	Relative Actual Day of GAF		If GAACTDT and DMINFDT not missing then perform below logic to calculate GAACTDY, If GAACTDT less than DMINFDT then (GAACTDT - DMINFDT).Else if GAACTDT is greater than equal to DMINFDT then (GAACTDT- DMINFDT) +1.

1.4.16. Smoking Habit – HABIT

Dataset	HABIT
Creating program	habit.sas
Description	Smoking Habit
Unique identifier	DUSUBJID,PHASENUM,VISITNUM
Sorted by	DUSUBJID,PHASENUM,VISITNUM
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: HAACTDT, HAENDTC

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity

Variable	Type	Label	Codes	Comments
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.
HASMOCUC	num	Does Subject Currently Smoke Code		Collected at CRF.
HASMOCU	char	Does Subject Currently Smoke		Collected at CRF.
HACGTNUM	num	Number of Cigarettes		Collected at CRF.
HACGRNUM	num	Number of Cigars		Collected at CRF.
HAPIPNUM	num	Number of Pipes		Collected at CRF.
HASMOPSC	num	Has Subject Smoked in the Past Code		Collected at CRF.
HASMOPS	char	Has Subject Smoked in the Past		Collected at CRF.
HAYEAR	num	Number of Years Subject Has Smoked		Collected at CRF.
HAACDY	num	Relative Actual Day of Collection		If HAACDT and DMINFDT not missing then perform below logic to calculate HAACDY, If HAACDT less than DMINFDT then (HAACDT - DMINFDT).Else if HAACDT is greater than equal to DMINFDT then (HAACDT- DMINFDT) +1.

1.4.17. Laboratory Results(Hematology) – HEMAT

Dataset	HEMAT
Creating program	hemat.sas
Description	Laboratory Results(HEMAT)
Unique identifier	DUSUBJID,LBDESCR,VISIT, LBSTAT
Sorted by	DUSUBJID,LBDESCR,VISIT, LBSTAT
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines or due to non significant elements or due to missing values: LBPRVIDC, LBPRVID, ACCNUM, LBREF, LBACTDT, LBENDT, LBENTM, TSTCOM, STDNRC, LBTOXGR, LBTOX, LBTMLBL, LBSEQ, LBSIFACT, LBCVFACT, LBREASND

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.

Variable	Type	Label	Codes	Comments
VISIT	char	Visit		Collected at CRF.
LBVTYPEC	num	Lab Visit Type Code		Collected at CRF.
LBVTYPE	char	Lab Visit Type		Collected at CRF.
LBACTTM	num	Actual Time of Lab Sample		Collected at CRF.
LBPTM	num	Planned Collection Time		Collected at CRF.
LBSPECMN	char	Specimen Type		Collected at CRF.
AGEATCOL	char	Subject Age at Collection		If age is greater than 89 then group to '90+' otherwise AGE=AGE. Grouping will be performed based on HIPAA privacy rules.
AGEU	char	Subject Age Units		Collected at CRF.
LBFASTC	num	Fasting Status Code		Collected at CRF.
LBFAST	char	Fasting Status		Collected at CRF.
LBTYPEC	num	Lab Type Code		Collected at CRF.
LBTYPE	char	Lab Type		Collected at CRF.
LBTESTC	num	Lab Test Code		Collected at CRF.
LBABBR	char	Lab Test Abbreviation		Collected at CRF.
LBTEST	char	Lab Test Name		Collected at CRF.
LBDESCR	char	Full Test Description		Collected at CRF.
LBSTAT	char	Lab Status		Collected at CRF.
ORGRES	char	Character Result in Original Units		Collected at CRF.

Variable	Type	Label	Codes	Comments
ORGRESN	num	Numeric Result in Original Units		Collected at CRF.
ORGNRLO	num	Normal Range Lower Limit in Orig Units		Collected at CRF.
ORGNRHI	num	Normal Range Upper Limit in Orig Units		Collected at CRF.
ORGUNIT	char	Original Units		Collected at CRF.
REPUNIT	char	Original Units		Collected at CRF.
CNVRESC	char	Conventional Text Result		Collected at CRF.
CNVRESN	num	Conventional Numeric Result		Collected at CRF.
CNVNRLO	num	CNVNRLO		Collected at CRF.
CNVNRHI	num	CNVNRHI		Collected at CRF.
LBCVUNIT	char	CNVU		Collected at CRF.
STDRESC	char	Character Result in Standard Units		Collected at CRF.
STDRESN	num	Numeric Result in Standard Units		Collected at CRF.
STDNRLO	num	Normal Range in Lower Limit in Std Units		Collected at CRF.
STDNRHI	num	Normal Range in Upper Limit in Std Units		Collected at CRF.
STDUNIT	char	Standard Units		Collected at CRF.

Variable	Type	Label	Codes	Comments
NRIND	char	Reference Range Indicator		Collected at CRF.
LBACTDY	num	Relative Actual Day of Sample		If LBACTDT and DMINFDT not missing then perform below logic to calculate LBACTDY, If LBACTDT less than DMINFDT then (LBACTDT - DMINFDT).Else if LBACTDT is greater than equal to DMINFDT then (LBACTDT- DMINFDT) +1.

1.4.18. Hospitalization – HOSPITAL

Dataset	HOSPITAL
Creating program	hospital.sas
Description	Hospitalization
Unique identifier	DUSUBJID,PHASENUM, VISITNUM
Sorted by	DUSUBJID,PHASENUM, VISITNUM
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines or due to repetition of the information: HOSTDT, HOSTDTC, HOENDT

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity

Variable	Type	Label	Codes	Comments
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.
HODISCHC	num	Was Subject Discharged from Hospital Code		Collected at CRF.
HODISCH	char	Was Subject Discharged from Hospital		Collected at CRF.
HOSTDY	num	Relative Admission Day of Hospitalization		If HOSTDTC and DMINFDT not missing then perform below logic to calculate HOSTDY, If HOSTDTC less than DMINFDT then (HOSTDTC - DMINFDT).Else if HOSTDTC is greater than equal to DMINFDT then (HOSTDTC- DMINFDT) +1.
HOENDY	num	Relative Discharge Day of Hospitalization		If HOENDT and DMINFDT not missing then perform below logic to calculate HOENDY, If HOENDT less than DMINFDT then (HOENDT - DMINFDT).Else if HOENDT is greater than equal to DMINFDT then (HOENDT- DMINFDT) +1.

1.4.19. Inclusion/Exclusion Exceptions – IE

Dataset	IE
Creating program	ie.sas
Description	Inclusion/Exclusion Exceptions
Unique identifier	DUSUBJID,PHASENUM,VISITNUM,IESPID
Sorted by	DUSUBJID,PHASENUM,VISITNUM,IESPID
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: IEDT

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
IECAT	char	Inclusion/Exclusion Category		Collected at CRF.
IESPID	char	Sponsor-defined Identifier		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.

Variable	Type	Label	Codes	Comments
PHASE	char	Phase		Collected at CRF.
IETESTCD	char	Inclusion/Exclusion Criterion Short Name		Collected at CRF.
IETEST	char	Inclusion/Exclusion Criterion		Collected at CRF.
IESTRESC	char	Exception Criterion Result in Std Format		Collected at CRF.
IEORRES	char	Exception Criterion Original Result		Collected at CRF.
IEMETC	num	Overall Criteria Met Code		Collected at CRF.
IEMET	char	Overall Criteria Met		Collected at CRF.
IEDY	num	Relative Day of Collection		If IEDT and DMINFDT not missing then perform below logic to calculate IEDY, If IEDT less than DMINFDT then (IEDT - DMINFDT).Else if IEDT is greater than equal to DMINFDT then (IEDT - DMINFDT) +1.

1.4.20. Intake – INTAKE

Dataset	INTAKE
Creating program	intake.sas
Description	Intake
Unique identifier	DUSUBJID,PHASENUM,VISITNUM,ITTYPE
Sorted by	DUSUBJID,PHASENUM,VISITNUM, ITTYPE
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: ITACTDT

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.
ITTYPE	char	Intake Type		Collected at CRF.

Variable	Type	Label	Codes	Comments
ITSTYPEC	num	Intake Sub Type Code		Collected at CRF.
ITSTYPE	char	Intake Sub Type		Collected at CRF.
ITACTTM	num	Actual Time of Intake		Collected at CRF.
ITACTDY	num	Relative Actual Day of Intake		If ITACTDT and DMINFDT not missing then perform below logic to calculate ITACTDY, If ITACTDT less than DMINFDT then (ITACTDT - DMINFDT).Else if ITACTDT is greater than equal to DMINFDT then (ITACTDT- DMINFDT) +1.

1.4.21. Montgomery-Asberg Depression Rating Scale – MADRS

Dataset	MADRS
Creating program	mads.sas
Description	MADRS
Unique identifier	DUSUBJID,PHASENUM,VISITNUM,MAITEM
Sorted by	DUSUBJID,PHASENUM,VISITNUM,MAITEM
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: MAACTDT, MARATERI

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.

Variable	Type	Label	Codes	Comments
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.
MAITEM	char	MADRS Item		Collected at CRF.
MASCOREC	num	MADRS Score Code		Collected at CRF.
MASCORE	char	MADRS Score		Collected at CRF.
MAACTDY	num	Relative Actual Day of MADRS		If MAACTDT and DMINFDT not missing then perform below logic to calculate MAACTDY, If MAACTDT less than DMINFDT then (MAACTDT - DMINFDT).Else if MAACTDT is greater than equal to DMINFDT then (MAACTDT- DMINFDT) +1.

1.4.22. Medical History – MEDHIST

Dataset	MEDHIST
Creating program	medhist.sas
Description	Medical History
Unique identifier	DUSUBJID,PHASENUM,VISITNUM,MHSEQ,MHBODSYC
Sorted by	DUSUBJID,PHASENUM,VISITNUM,MHSEQ,MHBODSYC
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: MHACTDT, MHTERM

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.
MHSEQ	num	MH Sequence Number		Collected at CRF.

Variable	Type	Label	Codes	Comments
MHBODSYC	num	Body System Code		Collected at CRF.
MHBODSYS	char	Body System		Collected at CRF.
MHSTATC	num	Condition Code		Collected at CRF.
MHSTAT	char	Condition		Collected at CRF.
MHACTDY	num	Relative Actual Day of Collection		If MHACTDT and DMINFDT not missing then perform below logic to calculate MHACTDY, If MHACTDT less than DMINFDT then (MHACTDT - DMINFDT).Else if MHACTDT is greater than equal to DMINFDT then (MHACTDT- DMINFDT) +1.

1.4.23. Positive and Negative Syndrome Scale – PANSS

Dataset	PANSS
Creating program	panss.sas
Description	Positive and Negative Syndrome Scale
Unique identifier	DUSUBJID,PHASENUM,VISITNUM,PAGROUP,PAITEM
Sorted by	DUSUBJID,PHASENUM,VISITNUM,PAGROUP,PAITEM
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: PARATERI, PAACTDT

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.
PAVTYPEC	num	PANNS Visit Type Code		Collected at CRF.

Variable	Type	Label	Codes	Comments
PAVTYPE	char	PANNS Visit Type		Collected at CRF.
PAGROUP	char	PANSS Group		Collected at CRF.
PAITEM	char	PANSS Item		Collected at CRF.
PASCOREC	num	PANSS Score Code		Collected at CRF.
PASCORE	char	PANSS Score		Collected at CRF.
PAACTDY	num	Relative Actual Day of PANSS		If PAACTDT and DMINFDT not missing then perform below logic to calculate PAACTDY, If PAACTDT less than DMINFDT then (PAACTDT - DMINFDT).Else if PAACTDT is greater than equal to DMINFDT then (PAACTDT- DMINFDT) +1.

1.4.24. PKPD Concentrations – PCCNC

Dataset	PCCNC
Creating program	pccnc.sas
Description	PKPD Concentrations
Unique identifier	DUSUBJID, PCCAT, PCTEST, PCSTDY, PCSPEC, PCSTAT, PCSEQ
Sorted by	DUSUBJID, PCCAT, PCTEST, PCSTDY, PCSPEC, PCSTAT, PCSEQ
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: SPPRVIDC, SPPRVID, PCPRVIDC, PCPRVID, ACQREF, SAMREF, PCSTDT, PCENDT, PCSPCOM

Variable	Type	Label	Codes	Comments
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity

Variable	Type	Label	Codes	Comments
TPTNUM	num	Planned Time Point Number		Collected at CRF.
TPT	char	Planned Time Point Name		Collected at CRF.
PCVTYPEC	num	PK/PD Sample Visit Type Code		Collected at CRF.
PCVTYPE	char	PK/PD Sample Visit Type		Collected at CRF.
PCPRMTYP	char	Parameter Type		Collected at CRF.
PCCAT	char	Category for Test or Examination		Collected at CRF.
SAMMAT	char	Sample Material		Collected at CRF.
PCSPEC	char	Specimen Material		Collected at CRF.
PCSEQ	num	Sample Sequence Number		Collected at CRF.
PCSTTM	num	Start Time of Specimen Collection		Collected at CRF.
PCENTM	num	End Time of Specimen Collection		Collected at CRF.
PCTEST	char	Test Name		Collected at CRF.
PCORRESN	num	Numeric Result in Original Units		Collected at CRF.
PCORUNIT	char	Original Units		Collected at CRF.
PCORRES	char	Result in Original Units		Collected at CRF.
PCSTRESN	num	Numeric Result in Standard Units		Collected at CRF.
PCSTUNIT	char	Standard Units		Collected at CRF.

Variable	Type	Label	Codes	Comments
PCSTRESC	char	Character Result in Standard Units		Collected at CRF.
PCSTATC	num	Sample Collection Status Code		Collected at CRF.
PCSTAT	char	Sample Collection Status		Collected at CRF.
PCNRHI	num	Normal Range Upper Limit in Orig Units		Collected at CRF.
PCNRLO	num	Normal Range Lower Limit in Orig Units		Collected at CRF.
PCSTDY	num	Relative Start Day of Specimen Collection		If PCSTDT and DMINFDT not missing then perform below logic to calculate PCSTDY, If PCSTDT less than DMINFDT then (PCSTDT - DMINFDT).Else if PCSTDT is greater than equal to DMINFDT then (PCSTDT- DMINFDT) +1.
PCENDY	num	Relative End Day of Specimen Collection		If PCENDT and DMINFDT not missing then perform below logic to calculate PCENDY, If PCENDT less than DMINFDT then (PCENDT - DMINFDT).Else if PCENDT is greater than equal to DMINFDT then (PCENDT- DMINFDT) +1.

1.4.25. Physical Exam – PE

Dataset	PE
Creating program	pe.sas
Description	Physical Exam
Unique identifier	DUSUBJID,PHASENUM,VISITNUM,PESEQ, PEBODSYC
Sorted by	DUSUBJID,PHASENUM,VISITNUM,PESEQ, PEBODSYC
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: PEACTDT, PEFIND

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.
PESEQ	num	Phys Sequence Number		Collected at CRF.

Variable	Type	Label	Codes	Comments
PEBODSYC	num	Body System Code		Collected at CRF.
PEBODSYS	char	Body System		Collected at CRF.
PESTATC	num	Exam Result Code		Collected at CRF.
PESTAT	char	Exam Result		Collected at CRF.
PEACTDY	num	Relative Actual Day of Phys Exam		If PEACTIONDT and DMINFDT not missing then perform below logic to calculate PEACTIONDY, if PEACTIONDT less than DMINFDT then (PEACTIONDT - DMINFDT).Else if PEACTIONDT is greater than equal to DMINFDT then (PEACTIONDT- DMINFDT) +1.

1.4.26. Protocol Deviation – PROTDEV

Dataset	PROTDEV
Creating program	protdev.sas
Description	Protocol Deviation
Unique identifier	DUSUBJID, PVSEQ
Sorted by	DUSUBJID, PVSEQ
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: PVTERM

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.

Variable	Type	Label	Codes	Comments
PVSEQ	num	Protocol Deviation Seq Number		Collected at CRF.
PVDECOD	char	Protocol Deviation Coded Term		Collected at CRF.

1.4.27. Psychiatric History – PSYCHIST

Dataset	PSYCHIST
Creating program	psychist.sas
Description	Psychiatric History
Unique identifier	DUSUBJID,PHASENUM,VISITNUM, PYSEQ
Sorted by	DUSUBJID,PHASENUM,VISITNUM, PYSEQ
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines or due to repetition of the information: PYDGDTC, PYDGDT

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity

Variable	Type	Label	Codes	Comments
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.
PYSEQ	num	Psychiatric History Sequence Number		Collected at CRF.
PYDIAG	char	Diagnosis		Collected at CRF.
PYHOSPC	num	Was The Patient Hospitalized Code		Collected at CRF.
PYHOSP	char	Was The Patient Hospitalized		Collected at CRF.
PYDGDY	num	Relative Day of Diagnosis		If PYDGDTC and DMINFDT not missing then perform below logic to calculate PYDGDY, If PYDGDTC less than DMINFDT then (PYDGDTC - DMINFDT).Else if PYDGDTC is greater than equal to DMINFDT then (PYDGDTC- DMINFDT) +1.

1.4.28. Randomization – RANDOM

Dataset	RANDOM
Creating program	random.sas
Description	Randomization
Unique identifier	DUSUBJID,PHASENUM, VISITNUM
Sorted by	DUSUBJID,PHASENUM, VISITNUM
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines or due to missing values: RAACTDT, SUB, RANDNUM

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.

Variable	Type	Label	Codes	Comments
RASEQ	num	Randomization Sequence Number		Collected at CRF.
TRTGRPC	num	Treatment Group Code		Collected at CRF.
TRTGRP	char	Treatment Group		Collected at CRF.
REGIMEN	char	Regimen Code		Collected at CRF.
RAACTDY	num	Relative Actual Day of Randomization		If RAACTDT and DMINFDT not missing then perform below logic to calculate RAACTDY, If RAACTDT less than DMINFDT then (RAACTDT - DMINFDT).Else if RAACTDT is greater than equal to DMINFDT then (RAACTDT- DMINFDT) +1.

1.4.29. Simpson - Angus Scale – SARS

Dataset	SARS
Creating program	sars.sas
Description	Simpson - Angus Scale
Unique identifier	DUSUBJID,PHASENUM,VISITNUM, SRITEM
Sorted by	DUSUBJID,PHASENUM,VISITNUM, SRITEM
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: SRRATERI, SRACTDT

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.
SRVTYPEC	num	SARS Visit Type Code		Collected at CRF.

Variable	Type	Label	Codes	Comments
SRVTYPE	char	SARS Visit Type		Collected at CRF.
SRITEM	char	SARS Item		Collected at CRF.
SRSCOREC	num	SARS Score Code		Collected at CRF.
SRSCORE	char	SARS Score		Collected at CRF.
SRACTDY	num	Relative Actual Day of SARS		If SRACTDT and DMINFDT not missing then perform below logic to calculate SRACTDY, If SRACTDT less than DMINFDT then (SRACTDT - DMINFDT).Else if SRACTDT is greater than equal to DMINFDT then (SRACTDT- DMINFDT) +1.

1.4.30. SF-36 Short Form Health Survey – SF36

Dataset	SF36
Creating program	sf36.sas
Description	SF-36 Short Form Health Survey
Unique identifier	DUSUBJID,PHASENUM,VISITNUM,SFGROUP, SFITEM
Sorted by	DUSUBJID,PHASENUM,VISITNUM,SFGROUP, SFITEM
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: SFACTDT, SFRATERI

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.
SFGROUP	char	SF36 Group		Collected at CRF.

Variable	Type	Label	Codes	Comments
SFITEM	char	SF36 Item		Collected at CRF.
SFSCOREC	num	SF36 Score Code		Collected at CRF.
SFSCORE	char	SF36 Score		Collected at CRF.
SFACTDY	num	Relative Actual Day of SF36		If SFACTDT and DMINFDT not missing then perform below logic to calculate SFACTDY, If SFACTDT less than DMINFDT then (SFACTDT - DMINFDT).Else if SFACTDT is greater than equal to DMINFDT then (SFACTDT- DMINFDT) +1.

1.4.31. Scale for Suicidal Ideation – SSI

Dataset	SSI
Creating program	ssi.sas
Description	Scale for Suicidal Ideation
Unique identifier	DUSUBJID,PHASENUM,VISITNUM, SSITEM
Sorted by	DUSUBJID,PHASENUM,VISITNUM, SSITEM
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: SSACTDT, SSRATERI

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.

Variable	Type	Label	Codes	Comments
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.
SSITEM	char	SSI Item		Collected at CRF.
SSSCOREC	num	SSI Score Code		Collected at CRF.
SSSCORE	char	SSI Score		Collected at CRF.
SSACTDY	num	Relative Actual Day of SSI		If SSACTDT and DMINFDT not missing then perform below logic to calculate SSACTDY, If SSACTDT less than DMINFDT then (SSACTDT - DMINFDT).Else if SSACTDT is greater than equal to DMINFDT then (SSACTDT- DMINFDT) +1.

1.4.32. Trial Inclusion/Exclusion Criteria – TI

Dataset	TI
Creating program	ti.sas
Description	Trial Inclusion/Exclusion Criteria
Unique identifier	IECAT, IETEST
Sorted by	IECAT, IETEST
Notes	

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
IECAT	char	Inclusion/Exclusion Category		Collected at CRF.
IESPID	char	Sponsor-defined Identifier		Collected at CRF.
IETEST	char	Inclusion/Exclusion Criterion		Collected at CRF.
IETESTCD	char	Inclusion/Exclusion Criterion Short Name		Collected at CRF.

1.4.33. Laboratory Results(Urine) – URINE

Dataset	URINE
Creating program	urine.sas
Description	Laboratory Results(URINE)
Unique identifier	DUSUBJID,LBDESCR,LBSTAT, VISIT
Sorted by	DUSUBJID,LBDESCR,LBSTAT, VISIT
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines or due to non significant elements or due to missing values: LBPRVIDC, LBPRVID, ACCNUM, LBREF, LBACTDT, LBENDT, LBENTM, TSTCOM, STDNRC, LBTOXGR, LBTOX, LBTMLBL, LBSEQ, LBSIFACT, LBCVFACT, LBREASND

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.

Variable	Type	Label	Codes	Comments
VISIT	char	Visit		Collected at CRF.
LBVTYPEC	num	Lab Visit Type Code		Collected at CRF.
LBVTYPE	char	Lab Visit Type		Collected at CRF.
LBACTTM	num	Actual Time of Lab Sample		Collected at CRF.
LBPTM	num	Planned Collection Time		Collected at CRF.
LBSPECMN	char	Specimen Type		Collected at CRF.
AGEATCOL	char	Subject Age at Collection		If age is greater than 89 then group to '90+' otherwise AGE=AGE. Grouping will be performed based on HIPAA privacy rules.
AGEU	char	Subject Age Units		Collected at CRF.
LBFASTC	num	Fasting Status Code		Collected at CRF.
LBFAST	char	Fasting Status		Collected at CRF.
LBTYPEC	num	Lab Type Code		Collected at CRF.
LBTYPE	char	Lab Type		Collected at CRF.
LBTESTC	num	Lab Test Code		Collected at CRF.
LBABBR	char	Lab Test Abbreviation		Collected at CRF.
LBTEST	char	Lab Test Name		Collected at CRF.
LBDESCR	char	Full Test Description		Collected at CRF.
LBSTAT	char	Lab Status		Collected at CRF.
ORGRES	char	Character Result in Original Units		Collected at CRF.

Variable	Type	Label	Codes	Comments
ORGRESN	num	Numeric Result in Original Units		Collected at CRF.
ORGNRLO	num	Normal Range Lower Limit in Orig Units		Collected at CRF.
ORGNRHI	num	Normal Range Upper Limit in Orig Units		Collected at CRF.
ORGUNIT	char	Original Units		Collected at CRF.
REPUNIT	char	Original Units		Collected at CRF.
CNVRESC	char	Conventional Text Result		Collected at CRF.
CNVRESN	num	Conventional Numeric Result		Collected at CRF.
CNVNRLO	num	CNVNRLO		Collected at CRF.
CNVNRHI	num	CNVNRHI		Collected at CRF.
LBCVUNIT	char	CNVU		Collected at CRF.
STDRESC	char	Character Result in Standard Units		Collected at CRF.
STDRESN	num	Numeric Result in Standard Units		Collected at CRF.
STDNRLO	num	Normal Range in Lower Limit in Std Units		Collected at CRF.
STDNRHI	num	Normal Range in Upper Limit in Std Units		Collected at CRF.
STDUNIT	char	Standard Units		Collected at CRF.

Variable	Type	Label	Codes	Comments
NRIND	char	Reference Range Indicator		Collected at CRF.
LBACTDY	num	Relative Actual Day of Sample		If LBACTDT and DMINFDT not missing then perform below logic to calculate LBACTDY, If LBACTDT less than DMINFDT then (LBACTDT - DMINFDT).Else if LBACTDT is greater than equal to DMINFDT then (LBACTDT- DMINFDT) +1.

1.4.34. Sleep VAS Scale Scores – VAS

Dataset	VAS
Creating program	vas.sas
Description	Sleep VAS Scale Scores
Unique identifier	DUSUBJID,PHASENUM,VISITNUM, VASCALE
Sorted by	DUSUBJID,PHASENUM,VISITNUM, VASCALE
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: VAACTDT

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity

Variable	Type	Label	Codes	Comments
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.
VASCALE	char	VAS Scale		Collected at CRF.
VASCORE	num	VAS Score (mm)		Collected at CRF.
VAACTDY	num	Relative Actual Day of VAS		If VAACTDT and DMINFDT not missing then perform below logic to calculate VAACTDY, If VAACTDT less than DMINFDT then (VAACTDT - DMINFDT).Else if VAACTDT is greater than equal to DMINFDT then (VAACTDT- DMINFDT) +1.

1.4.35. Visit – VISIT

Dataset	VISIT
Creating program	visit.sas
Description	Visit
Unique identifier	DUSUBJID,PHASENUM, VISITNUM
Sorted by	DUSUBJID,PHASENUM, VISITNUM
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: VISITDT

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.

Variable	Type	Label	Codes	Comments
VISIT	char	Visit		Collected at CRF.
VISITDY	num	Relative Visit Day		If VISITDT and DMINFDT not missing then perform below logic to calculate VISITDY, If VISITDT less than DMINFDT then (VISITDT - DMINFDT).Else if VISITDT is greater than equal to DMINFDT then (VISITDT - DMINFDT) +1.

1.4.36. Vital Signs – VITAL

Dataset	VITAL
Creating program	vital.sas
Description	Vital Signs
Unique identifier	DUSUBJID,PHASENUM,VISITNUM, VSSEQ
Sorted by	DUSUBJID,PHASENUM,VISITNUM, VSSEQ
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: VSACTDT

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity

Variable	Type	Label	Codes	Comments
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.
VSVTYPEC	num	Vital Signs Visit Type Code		Collected at CRF.
VSVTYPE	char	Vital Signs Visit Type		Collected at CRF.
VSSEQ	num	Vital Signs Sequence Number		Collected at CRF.
VSPOS	char	Position		Collected at CRF.
VSWEIGHT	num	Weight		Collected at CRF.
VSWTUNIT	char	Weight Unit		Collected at CRF.
VSHEIGHT	num	Height		Collected at CRF.
VSHUNIT	char	Height Unit		Collected at CRF.
PULSE	num	Pulse Rate (bpm)		Collected at CRF.
SYSBP	num	Systolic Blood Pressure (mmHg)		Collected at CRF.
DIABP	num	Diastolic Blood Pressure (mmHg)		Collected at CRF.
TEMP	num	Temperature		Collected at CRF.

Variable	Type	Label	Codes	Comments
TEMPUNIT	char	Temperature Unit		Collected at CRF.
VSACTDY	num	Relative Actual Day of Vital Signs		If VSACTDT and DMINFDT not missing then perform below logic to calculate VSACTDY, If VSACTDT less than DMINFDT then (VSACTDT - DMINFDT).Else if VSACTDT is greater than equal to DMINFDT then (VSACTDT- DMINFDT) +1.

1.4.37. Young Mania Rating Scale – YMRS

Dataset	YMRS
Creating program	ymrs.sas
Description	Young Mania Rating Scale
Unique identifier	DUSUBJID,PHASENUM,VISITNUM, YMITEM
Sorted by	DUSUBJID,PHASENUM,VISITNUM, YMITEM
Notes	Below listed variables will be dropped from dataset to protect PII as per HIPAA and EMA guidelines: YMACTDT, YMRATERI

Variable	Type	Label	Codes	Comments
STUDYID	char	Study Id		Collected at CRF.
DUSUBJID	char	Unique Subject Id Assign for De-Identity		Randomly assigned Unique Subject Id for De-Identity

Variable	Type	Label	Codes	Comments
DSUBJID	char	Subject Number Assigned for De-Identity		Randomly assigned Subject Number for De-Identity
DSITEID	char	Site Assigned for De-Identity		Randomly assigned Site for De-Identity
PHASENUM	num	Phase Number		Collected at CRF.
PHASE	char	Phase		Collected at CRF.
VISITNUM	num	Visit Number		Collected at CRF.
VISIT	char	Visit		Collected at CRF.
YMITEM	char	YMRS Item		Collected at CRF.
YMSCOREC	num	YMRS Score Code		Collected at CRF.
YMSCORE	char	YMRS Score		Collected at CRF.
YMACTDY	num	Relative Actual Day of YMRS		If YMACTDT and DMINFDT not missing then perform below logic to calculate YMACTDY, If YMACTDT less than DMINFDT then (YMACTDT - DMINFDT).Else if YMACTDT is greater than equal to DMINFDT then (YMACTDT- DMINFDT) +1.